

WEST Search History

[Hide Items](#) [Restore](#) [Clear](#) [Cancel](#)

DATE: Thursday, August 18, 2005

<u>Hide?</u>	<u>Set</u>	<u>Name</u>	<u>Query</u>	<u>Hit</u>	<u>Count</u>
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>					
<input type="checkbox"/>	L1		platform and backbone and traffic and compression and protocol and spoofing and parameters and profile and peer.clm.		6

END OF SEARCH HISTORY

Refine Search

Search Results -

Term	Documents
BACKBONE	92679
BACKBONES	18134
CONNECTION	1688703
CONNECTIONS	468013
PARAMETER	310296
PARAMETERS	635845
SPOOFING	2056
SPOOFINGS	0
(SPOOFING AND (BACKBONE NEAR CONNECTION NEAR PARAMETER)).PGPB,USPT.	2
(BACKBONE NEAR CONNECTION NEAR PARAMETER AND SPOOFING).PGPB,USPT.	2

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database
	US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Search:	<div style="border: 1px solid black; padding: 5px; width: 100%;"> <div style="border-bottom: 1px solid black; padding-bottom: 5px; margin-bottom: 5px;"> <input style="width: 100%; border: none; outline: none;" type="text" value="L24"/> </div> <div style="display: flex; justify-content: space-between;"> <div style="flex: 1; text-align: right;"> <input style="width: 20px; height: 20px; border: 1px solid black; margin-right: 5px;" type="button"/> </div> <div style="flex: 1; text-align: left;"> <input style="width: 100%; border: none; outline: none; padding: 0 5px;" type="button" value="Refine Search"/> </div> </div> </div>
	<input style="border: 1px solid black; padding: 2px 10px; margin-right: 10px;" type="button" value="Recall Text"/> <input style="border: 1px solid black; padding: 2px 10px; margin-right: 10px;" type="button" value="Clear"/> <input style="border: 1px solid black; padding: 2px 10px;" type="button" value="Interrupt"/>

Search History

DATE: Thursday, August 18, 2005 [Printable Copy](#) [Create Case](#)

Set Name **Query**
side by side

DB=PGPB,USPT; PLUR=YES; OP=ADJ

L24 backbone near connection near parameter and spoofing
L23 L22 and compress
L22 L19 and traffic

Hit Count **Set Name**
result set

2 L24
5 L23
8 L22

<u>L21</u>	L19 and parameter	6	<u>L21</u>
<u>L20</u>	L19 and profile	6	<u>L20</u>
<u>L19</u>	L12 and backbone near connection	8	<u>L19</u>
<u>L18</u>	L12 and traffic and compression	6	<u>L18</u>
<u>L17</u>	L16 and backbone near connection	5	<u>L17</u>
<u>L16</u>	L15 and spoofing	5	<u>L16</u>
<u>L15</u>	L14 and traffic and compression	5	<u>L15</u>
<u>L14</u>	L13 and profile and parameter	5	<u>L14</u>
<u>L13</u>	L12 and peer and platform	5	<u>L13</u>
<u>L12</u>	L11 and backbone	13	<u>L12</u>
<u>L11</u>	protocol near spoofing	62	<u>L11</u>
<u>L10</u>	l9 and traffic and compression	1	<u>L10</u>
<u>L9</u>	L8 and backbone	3	<u>L9</u>
<u>L8</u>	L6 and spoofing	17	<u>L8</u>
<u>L7</u>	L6 and protocol near spoofing	0	<u>L7</u>
<u>L6</u>	370/338.ccls.	1938	<u>L6</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L5</u>	protocol near spoofing and backbone	5	<u>L5</u>
<u>L4</u>	L3 and backbone	0	<u>L4</u>
<u>L3</u>	L1 and spoofing	4	<u>L3</u>
<u>L2</u>	L1 and protocol near spoofing	0	<u>L2</u>
<u>L1</u>	370/338.ccls.	664	<u>L1</u>

END OF SEARCH HISTORY

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 Search Results[BROWSE](#)[SEARCH](#)[IEEE Xplore GUIDE](#)

Results for "(protocol spoofing<in>metadata) <and> (backbone<in>metadata)"

[e-mail](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» **Search Options**[View Session History](#)**Modify Search**[New Search](#) [»](#) Check to search only within this results setDisplay Format: **Citation** **Citation & Abstract**» **Key****IEEE JNL** IEEE Journal or Magazine**IEE JNL** IEE Journal or Magazine**IEEE CNF** IEEE Conference Proceeding**IEE CNF** IEE Conference Proceeding**IEEE STD** IEEE Standard**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -

Indexed by

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 [Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE Xplore GUIDE](#)

Results for "(protocol spoofing<in>metadata) <and> (traffic compression<in>metadata)"

[e-mail](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending** order.[» Search Options](#)[View Session History](#)[Modify Search](#)[New Search](#)[»](#) Check to search only within this results setDisplay Format: Citation Citation & Abstract[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -

Indexed by

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 Search Results[BROWSE](#)[SEARCH](#)[IEEE Xplore GUIDE](#)

Results for "(spoofing<in>metadata) <and> (traffic compression<in>metadata)"

[e-mail](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» [Search Options](#)[View Session History](#)[Modify Search](#)[New Search](#) [»»](#) Check to search only within this results setDisplay Format: Citation Citation & Abstract» [Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -

Indexed by


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 [Search Results](#)
[BROWSE](#)[SEARCH](#)[IEEE Xplore GUIDE](#)
[e-mail](#)

Results for "(protocol spoofing<in>metadata)"

Your search matched 3 of 1225093 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending order**.» [Search Options](#)[View Session History](#)[Modify Search](#)[New Search](#)

[»](#)
 Check to search only within this results set
Display Format: Citation Citation & Abstract» [Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

1. **Performance modeling and simulation of inquiry-response computer app VSATs**
 Jabbari, B.; Maral, G.;
 Communications, 1990. ICC '90, Including Supercomm Technical Sessions. ST '90. Conference Record., IEEE International Conference on 16-19 April 1990 Page(s):376 - 380 vol.2
 Digital Object Identifier 10.1109/ICC.1990.117108
[AbstractPlus](#) | Full Text: [PDF\(392 KB\)](#) IEEE CNF

2. **Digital communications protocols in the satellite environment**
 Spracklen, C.T.;
 Integration of Satellite and Terrestrial OCS (Digest No: 1997/152), IEE Colloqu 7 April 1997 Page(s):4/1 - 4/7
[AbstractPlus](#) | Full Text: [PDF\(552 KB\)](#) IEE CNF

3. **Stream control transmission protocol (SCTP) performance over the land channel**
 Duke, M.H.; Henderson, T.R.; Spagnolo, P.A.; Kim, J.H.; Michael, G.T.;
 Military Communications Conference, 2003. MILCOM 2003. IEEE Volume 2, 13-16 Oct. 2003 Page(s):1325 - 1331 Vol.2
 Digital Object Identifier 10.1109/MILCOM.2003.1290418
[AbstractPlus](#) | Full Text: [PDF\(1664 KB\)](#) IEEE CNF

 Indexed by
[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -

PORTAL
USPTO

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

"protocol spoofing" "backbone connection"

THE ACM DIGITAL LIBRARY

 [Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used **protocol spoofing backbone connection**

Found 4 of 160,172

Sort results by Save results to a Binder
 Display results Search Tips
 Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 4 of 4

Relevance scale **1 Connecting remote FDDI installations with single-mode fiber, dedicated lines, or SMDS**

Lawrence J. Lang, Bellcore, James Watson, Ameritech Services

July 1990 **ACM SIGCOMM Computer Communication Review**, Volume 20 Issue 3Full text available:  [pdf\(697.29 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

The Fiber Distributed Data Interface (FDDI) is emerging as an important ANSI standard for high-performance data networking. Many users will install FDDI at different sites, and then want to connect these installations while sacrificing as little performance as possible. This paper discusses several technically practical ways to connect remote FDDI installations, including: using FDDI as a metropolitan area network by extending with single-mode fiber or with a SONET mapping, using bridges or rout ...

2 Group D: coverage and connectivity: RoamHBA: maintaining group connectivity in sensor networks

Qing Fang, Jie Li, Leonidas Guiba, Feng Zha

April 2004 **Proceedings of the third international symposium on Information processing in sensor networks**Full text available:  [pdf\(301.16 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents a new group communication scheme, roamingcast, for collaborative information processing in wireless sensor networks. Roamingcast enables efficient communication among a subset of mobile terminals in a collaboration group. Unicast and multicast communication can be considered as special cases of roamingcast in which the subset contains one and all group members, respectively. We propose a Roaming Hub Based Architecture (RoamHBA, pronounced as 'rumba') as one solution to suppor ...

Keywords: applications of sensor networks, network architecture, network protocols, sensor networks

3 Mobile käpät: a case study in wireless personal area networking

Timo Ojala, Jani Korhonen, Tiiia Sutinen, Pekka Parhi, Lauri Aalto

October 2004 **Proceedings of the 3rd international conference on Mobile and ubiquitous multimedia MUM '04**Full text available:  [pdf\(263.84 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The advanced smartphones entering the mass market are capable of playing audio and video files back, which paves the way for new types of rich mobile multimedia services. However,

these services impose high data rate requirements on the wireless link, which can not necessarily be satisfied with the current mobile phone networks. This can be compensated with a wireless personal area network based for example on Bluetooth connectivity, or with a wireless local area network. This paper presents a c ...

Keywords: empirical evaluation, mobile multimedia, usability

4 Innovation, management & strategy: Simulating the establishment of trust infrastructures in multi-agent systems 

Wiebe K. Wiechers, Semir Daskapan, Willem G. Vree

March 2004 **Proceedings of the 6th international conference on Electronic commerce ICEC '04**

Full text available:  pdf(311.16 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this paper we present and simulate a new approach for creating trusted infrastructures within multi agent systems. This bootstrapping protocol initializes a disordered space by turning it into an organized, redundant hierarchical structure, headed by elected security distribution centers with a pool of successors in case of a failure. A simulation was creates of the establishment of this hierarchy to judge both the resulting structure and the process of creation in a varying environment. Netw ...

Keywords: secure autonomous voting, security, self-organization, trust management

Results 1 - 4 of 4

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)